

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Eco Ultra Shine

Product no.

-

REACH registration number

Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cleaning liquid

Uses advised against

-

The full text of any mentioned and identified use categories are given in section 16

1.3. Details of the supplier of the safety data sheet

Company and address

Blue & Green AB
Stenorsvägen 52
261 44 Landskrona
Sweden
Tfn: +46 418 399000
Fax: +46 418 13199
www.blueandgreen.se

E-mail

info@blueandgreen.se

SDS date

2021-01-19

SDS Version

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Eye Dam. 1; H318

See full text of H-phrases in section 2.2.

2.2. Label elements

Hazard pictogram(s)



Signal word

Danger

Hazard statement(s)

Causes serious eye damage. (H318)

Precautionary statements

General

If medical advice is needed, have product container or label at hand. (P101).
Keep out of reach of children. (P102).

According to EC-Regulation 2015/830

Prevention	Wear eye protection. (P280).
Response	Immediately call a POISON CENTER/doctor. (P310). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338).
Storage	-
Disposal	-

Identity of the substances primarily responsible for the major health hazards

1-Heptanol, 2-propyl-, 8EO; 1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte

Additional labelling

Not applicable

Unique formula identifier (UFI)

ACC6-9FU7-P10R-P1HX

2.3. Other hazards

Not applicable

Additional warnings

Not applicable

VOC (volatile organic compound)

Not applicable

SECTION 3: Composition/information on ingredients

3.1/3.2. Substances/Mixtures

NAME: 1-Heptanol, 2-propyl-, 8EO
IDENTIFICATION NOS.: CAS-no: 160875-66-1
CONTENT: 5 - <10%
CLP CLASSIFICATION: Acute Tox. 4, Eye Dam. 1
H302, H318

NAME: Fatty acids, C10-20 and C16-18-unsatd., reaction products with trie...
IDENTIFICATION NOS.: CAS-no: 91995-81-2 EC-no: 295-344-3 REACH-no: 01-2119472309-33
CONTENT: 2.5 - <5%
CLP CLASSIFICATION: Skin Irrit. 2, Eye Irrit. 2
H315, H319

NAME: 1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte
IDENTIFICATION NOS.: CAS-no: 97862-59-4 EC-no: 308-107-7 REACH-no: 01-2119488533-30
CONTENT: 1 - <2.5%
CLP CLASSIFICATION: Eye Dam. 1, Aquatic Chronic 3
H318, H412

(*) See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

ATEmix(oral) > 2000
Eye Cat. 1 Sum = Sum(Ci/S(G)CLi) = 2.568 - 3.852
Skin Cat. 2 Sum = Sum(Ci/S(G)CLi) = 0.288 - 0.432
N chronic (CAT 4) Sum = Sum(Ci/(M(chronic)ⁱ*25)*0.1*10^{CAT4}) = 0.0672 - 0.1008

Detergent:
5 - 15%: NON-IONIC SURFACTANTS
< 5%: CATIONIC SURFACTANTS, ANIONIC SURFACTANTS, ISOPROPYL ALCOHOL

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service: Dial 0344 892 0111 (24 h service). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Bring the person into fresh air and stay with him/her.

According to EC-Regulation 2015/830

Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with soap and water.

Eye contact

Remove contact lenses. Flush eyes with plenty of water or salt water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned: Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist.

5.2. Special hazards arising from the substance or mixture

Nothing special

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

6.2. Environmental precautions

No specific requirements.

6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

6.4. Reference to other sections

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, storage of tobacco, consumption and storage of food or liquids are not allowed in the workrooms. See section on 'Exposure controls/personal protection' for information on personal protection. Avoid direct contact with the product.

7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original container. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Storage temperature

Room temperature 18 to 23°C

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OEL

According to EC-Regulation 2015/830

<p>No substances are listed in The Control of Substances Hazardous to Health Regulations with an occupational exposure limit.</p> <p>DNEL / PNEC</p> <p>DNEL (Fatty acids, C10-20 and C16-18-unsatd., reaction products with trie...): 7.5 mg/kg bw/d Exposure: Oral Duration of Exposure: Long term – Systemic effects - General population</p> <p>DNEL (Fatty acids, C10-20 and C16-18-unsatd., reaction products with trie...): 312.5 mg/kg bw/d Exposure: Dermal Duration of Exposure: Long term – Systemic effects - Workers</p> <p>DNEL (Fatty acids, C10-20 and C16-18-unsatd., reaction products with trie...): 187.5 mg/kg bw/d Exposure: Dermal Duration of Exposure: Long term – Systemic effects - General population</p> <p>DNEL (Fatty acids, C10-20 and C16-18-unsatd., reaction products with trie...): 44 mg/m³ Exposure: Inhalation Duration of Exposure: Long term – Systemic effects - Workers</p> <p>DNEL (Fatty acids, C10-20 and C16-18-unsatd., reaction products with trie...): 13 mg/m³ Exposure: Inhalation Duration of Exposure: Long term – Systemic effects - General population</p> <p>DNEL (1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte): 12.5 mg/kg bw/d Exposure: Dermal Duration of Exposure: Long term – Systemic effects - Workers</p> <p>DNEL (1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte): 44 mg/kg Exposure: Inhalation Duration of Exposure: Long term – Systemic effects - Workers</p> <p>DNEL (1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte): 7.5 mg/m³ Exposure: Oral Duration of Exposure: Long term – Systemic effects - General population</p> <p>DNEL (1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte): 7.5 mg/kg bw/d Exposure: Dermal Duration of Exposure: Long term – Systemic effects - General population</p> <p>DNEL (1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte): 13.04 mg/m³ Exposure: Inhalation Duration of Exposure: Long term – Systemic effects - General population</p> <p>PNEC (Fatty acids, C10-20 and C16-18-unsatd., reaction products with trie...): 0.002 mg/l Exposure: Freshwater</p> <p>PNEC (Fatty acids, C10-20 and C16-18-unsatd., reaction products with trie...): 0 mg/l Exposure: Marine water</p> <p>PNEC (Fatty acids, C10-20 and C16-18-unsatd., reaction products with trie...): 0.058 mg/kg Exposure: Marine water sediment</p> <p>PNEC (Fatty acids, C10-20 and C16-18-unsatd., reaction products with trie...): 0.115 mg/kg Exposure: Soil</p> <p>PNEC (Fatty acids, C10-20 and C16-18-unsatd., reaction products with trie...): 0.58 mg/kg Exposure: Freshwater sediment</p> <p>PNEC (Fatty acids, C10-20 and C16-18-unsatd., reaction products with trie...): 2.96 mg/l Exposure: Sewage Treatment Plant</p> <p>PNEC (1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte): 0.013 mg/l Exposure: Freshwater</p> <p>PNEC (1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte): 0.001 mg/l Exposure: Marine water</p> <p>PNEC (1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte): 11.1 mg/kg dw Exposure: Freshwater sediment</p> <p>PNEC (1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte): 1.11 mg/kg dw Exposure: Marine water sediment</p> <p>PNEC (1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte): 0.85 mg/kg dw</p>

According to EC-Regulation 2015/830

Exposure: Soil

PNEC (1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte): 3000 mg/l

Exposure: Sewage Treatment Plant

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Observe general occupational hygiene standards.

Exposure scenarios

There is no appendix to this safety data sheet.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep containment materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment



Generally

Use only CE marked protective equipment.

Respiratory Equipment

No specific requirements.

Skin protection

No specific requirements.

Hand protection

Nitrile rubber

Breakthrough time: > 480 minutes (Class 6)

Eye protection

Wear safety glasses with side shields.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	Liquid
Colour	Yellowish
Odour	Faint
Odour threshold (ppm)	No data available.
pH	5.5
Viscosity (40°C)	No data available.
Density (g/cm ³)	1.01

Phase changes

Melting point (°C)	No data available.
Boiling point (°C)	No data available.
Vapour pressure	No data available.
Decomposition temperature (°C)	No data available.
Evaporation rate (n-butylacetate = 100)	No data available.

Data on fire and explosion hazards

Flash point (°C)	No data available.
Ignition (°C)	No data available.
Auto flammability (°C)	No data available.
Explosion limits (% v/v)	No data available.
Explosive properties	No data available.

Solubility

According to EC-Regulation 2015/830

Solubility in water	Soluble
n-octanol/water coefficient	No data available.
9.2. Other information	
Solubility in fat (g/L)	No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in the section "Handling and storage".

10.3. Possibility of hazardous reactions

Nothing special

10.4. Conditions to avoid

Nothing special

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Substance: 1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte

Species: Rat

Test: LD50

Route of exposure: Dermal

Result: >620 mg/kg

Substance: 1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte

Species: Rat

Test: LD50

Route of exposure: Oral

Result: 2335 mg/kg

Substance: Fatty acids, C10-20 and C16-18-unsatd., reaction products with trie...

Species: Rat

Test: LD50

Route of exposure: Dermal

Result: >2000 mg/kg

Substance: Fatty acids, C10-20 and C16-18-unsatd., reaction products with trie...

Species: Rat

Test: LD50

Route of exposure: Oral

Result: >2000 mg/kg

Substance: 1-Heptanol, 2-propyl-, 8EO

Species: Rat

Test: LD50

Route of exposure: Oral

Result: >300-2000 mg/kg

Skin corrosion/irritation

No data available.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

No data available.

Reproductive toxicity

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

According to EC-Regulation 2015/830

Aspiration hazard

No data available.

Long term effects

This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

SECTION 12: Ecological information

12.1. Toxicity

Substance: 1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte
 Species: Daphnia
 Test: NOEC
 Duration: 21d
 Result: 0.3 mg/l

Substance: 1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte
 Species: Daphnia
 Test: EC50
 Duration: 48h
 Result: 1.9 mg/l

Substance: 1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte
 Species: Fish
 Test: NOEC
 Duration: 37d
 Result: 0.135 mg/l

Substance: 1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte
 Species: Fish
 Test: LC50
 Duration: 96h
 Result: 1.11 mg/l

Substance: 1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18-acylderivater, hydroxider, indre salte
 Species: Algae
 Test: ErC50
 Duration: 72h
 Result: 2.4 mg/l

Substance: Fatty acids, C10-20 and C16-18-unsatd., reaction products with trie...
 Species: Daphnia
 Test: EC50
 Duration: 48h
 Result: 2.23 mg/l

Substance: Fatty acids, C10-20 and C16-18-unsatd., reaction products with trie...
 Species: Fish
 Test: LC50
 Duration: 96h
 Result: 1.91 mg/l

Substance: Fatty acids, C10-20 and C16-18-unsatd., reaction products with trie...
 Species: Algae
 Test: EC50
 Duration: 72h
 Result: 1.9 mg/l

Substance: 1-Heptanol, 2-propyl-, 8EO
 Species: Daphnia
 Test: EC50
 Duration: 48h
 Result: 10-100 mg/l

Substance: 1-Heptanol, 2-propyl-, 8EO
 Species: Fish
 Test: NOEC
 Duration:
 Result: >1 mg/l

Substance: 1-Heptanol, 2-propyl-, 8EO
 Species: Fish
 Test: LC50
 Duration: 96h
 Result: 10-100 mg/l

According to EC-Regulation 2015/830

Substance: 1-Heptanol, 2-propyl-, 8EO
 Species: Algae
 Test: EC50
 Duration: 72h
 Result: 10-100 mg/l

12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
1-propanaminium, 3-amino-N-(ca...	Yes	CO2 Evolution Test	91.6%
Fatty acids, C10-20 and C16-18...	Yes	CO2 Evolution Test	>60%
1-Heptanol, 2-propyl-, 8EO	Yes	Closed Bottle Test	>60%

12.3. Bioaccumulative potential

Substance	Potential bioaccumulation	LogPow	BCF
1-propanaminium, 3-amino-N-(ca...	No	No data available	71
1-Heptanol, 2-propyl-, 8EO	No	No data available	No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Other adverse effects

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

Waste

EWC code

-

Specific labelling

Not applicable

Contaminated packing

Contaminated packaging must be disposed of similarly to the product.

SECTION 14: Transport information

14.1 – 14.4

Not dangerous goods according to ADR, IATA and IMDG.

ADR/RID

14.1. UN number	-
14.2. UN proper shipping name	-
14.3. Transport hazard class(es)	-
14.4. Packing group	-
Notes	-
Tunnel restriction code	-

IMDG

UN-no.	-
Proper Shipping Name	-
Class	-
PG*	-
EmS	-
MP**	-
Hazardous constituent	-

IATA/ICAO

UN-no.	-
Proper Shipping Name	-
Class	-
PG*	-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

According to EC-Regulation 2015/830

(*) Packing group
 (**) Marine pollutant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 shall not be exposed to this product cf. Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

Demands for specific education

-

Additional information

Not applicable

Seveso

-

Biocidal reg. no.

Not applicable

Sources

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP).

Regulation (EC) 1907/2006 (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

-

Additional label elements

Not applicable

Other

In accordance with Regulation (EC) No. 1272/2008 (CLP) the evaluation of the classification of the mixture is based on:

The classification of the mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The safety data sheet is validated by

David Löwenstein

Date of last essential change (First cipher in SDS version)

-

Date of last minor change (Last cipher in SDS version)

-

According to EC-Regulation 2015/830



www.chymeia.com