# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

#### **Trade name**

Floor & Wall Coating Low Gloss

Product no.

# **REACH registration number**

Not applicable

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Relevant identified uses of the substance or mixture

Coating

**Uses advised against** 

The full text of any mentioned and identified use categories are given in section 16

# 1.3. Details of the supplier of the safety data sheet

# **Company and address**

Blue & Green AB Stenorsvägen 52

261 44 Landskrona

Sweden

Tfn: +46 418 399000 Fax: +46 418 13199 www.blueandgreen.se

#### E-mail

info@blueandgreen.se

# **SDS** date

2020-11-10

#### **SDS Version**

1.0

# 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Skin Irrit. 2; H315 Eye Irrit. 2; H319

See full text of H-phrases in section 2.2.

#### 2.2. Label elements

# **Hazard pictogram(s)**



# Signal word

Warning

# Hazard statement(s)

Causes skin irritation. (H315) Causes serious eye irritation. (H319)

# **Precautionary statements**



General If medical advice is needed, have product container or label at hand. (P101).

Keep out of reach of children. (P102).

Wash hands/exposed skin thoroughly after handling. (P264). Prevention

Wear eye protection/gloves. (P280).

If eye irritation persists: Get medical advice/attention. (P337+P313). Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. (P305+P351+P338).

Storage **Disposal** 

# Identity of the substances primarily responsible for the major health hazards

Not applicable

# Additional labelling

Not applicable

# Unique formula identifier (UFI)

3TWT-C4VD-0C07-AGKC

#### 2.3. Other hazards

Not applicable

# **Additional warnings**

Not applicable

# **VOC (volatile organic compound)**

Not applicable

# SECTION 3: Composition/information on ingredients

#### 3.1/3.2. Substances/Mixtures

NAME: IDENTIFICATION NOS.: ETHYL,3-ETHOXYPROPIONATE CAS-no: 763-69-9 EC-no: 212-112-9

CONTENT:

5 - < 10%

CLP CLASSIFICATION:

Flam. Lig. 3, Aquatic Chronic 3

H226, H412

NOTE:

NAME:

3-aminopropyltriethoxysilane

**IDENTIFICATION NOS.:** 

CAS-no: 919-30-2 EC-no: 213-048-4 Index-no: 612-108-00-0

CONTENT:

CLP CLASSIFICATION:

Acute Tox. 4, Skin Corr. 1B

H302, H314

(\*) O = Organic solvent See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

ATEmix(oral) > 2000

Eye Cat. 2 Sum = Sum(Ci/S(G)CLi) = 1.6 - 2.4

Skin Cat. 2 Sum = Sum(Ci/S(G)CLi) = 1.6 - 2.4

N chronic (CAT 4) Sum = Sum(Ci/(M(chronic)i\*25)\*0.1\*10^CAT4) = 0.224 - 0.336

Detergent:

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service: Dial 0344 892 0111 (24 h service). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

# **Inhalation**

Bring the person into fresh air and stay with him/her.

# Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with soap and water.

#### **Eve contact**

Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30°C) for at



least 5 minutes and continue until irritation stops. Make sure to flush under the upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

#### Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

#### **Burns**

Not applicable

# 4.2. Most important symptoms and effects, both acute and delayed

This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

# 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned: Get immediate medical advice/attention.

#### Information to medics

Bring this safety data sheet.

# SECTION 5: Firefighting measures

# 5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist.

# 5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous catabolic substances are produced. These are: Nitrogen oxides. Carbon oxides. Fire will result in dense black smoke. Exposure to combustion products may harm your health. Fire fighters should wear appropriate protection equipment. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

# 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

#### 6.2. Environmental precautions

No specific requirements.

#### 6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

# 6.4. Reference to other sections

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Smoking, storage of tobacco, consumption and storage of food or liquids are not allowed in the workrooms. See section on 'Exposure controls/personal protection' for information on personal protection.

# 7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original container. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

# Storage temperature

Room temperature 18 to 23°C

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

**OEL** 

No substances are listed in The Control of Substances Hazardous to Health Regulations with an occupational exposure limit.

DNEL / PNEC



DNEL (ETHYL,3-ETHOXYPROPIONATE): 610 mg/m3

Exposure: Inhalation

Duration of Exposure: Long term - Systemic effects - Workers

Remarks: Registration dossier ECHA

DNEL (ETHYL,3-ETHOXYPROPIONATE): 72.6 mg/m3

**Exposure: Inhalation** 

Duration of Exposure: Long term - Systemic effects - General population

Remarks: Registration dossier ECHA

PNEC (ETHYL,3-ETHOXYPROPIONATE): 0.06 mg/l

Exposure: Freshwater

Remarks: Registration dossier ECHA

PNEC (ETHYL,3-ETHOXYPROPIONATE): 0.006 mg/l

Exposure: Marine water

Remarks: Registration dossier ECHA

PNEC (ETHYL,3-ETHOXYPROPIONATE): 50 mg/l

Exposure: Sewage Treatment Plant Remarks: Registration dossier ECHA

PNEC (ETHYL,3-ETHOXYPROPIONATE): 0.42 mg/kg dw

Exposure: Freshwater sediment Remarks: Registration dossier ECHA

PNEC (ETHYL.3-ETHOXYPROPIONATE): 0.042 mg/kg dw

Exposure: Marine water sediment Remarks: Registration dossier ECHA

#### 8.2. Exposure controls

Control is unnecessary if the product is used as intended.

#### **General recommendations**

Observe general occupational hygiene standards.

# **Exposure scenarios**

There is no appendix to this safety data sheet.

# **Exposure limits**

Occupational exposure limits have not been defined for the substances in this product.

# **Appropriate technical measures**

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

#### **Hygiene measures**

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

#### Measures to avoid environmental exposure

No specific requirements.

#### Individual protection measures, such as personal protective equipment



#### Generally

Use only CE marked protective equipment.

# **Respiratory Equipment**

Recommended: AX. Brown

# **Skin protection**

Dedicated work clothing should be worn.

#### **Hand protection**

Butyl rubber

Breakthrough time: > 480 minutes (Class 6)

### Eye protection

Wear safety glasses with side shields.

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties



Form Liquid Colour White

Odour Characteristic
Odour threshold (ppm)

No data available.

No data available.

Viscosity (40°C) 14 Stokes Density (g/cm³) 1.03

Phase changes

Melting point (°C)

No data available.

Boiling point (°C) 138 Vapour pressure (25°C) 0.7 hPa

Decomposition temperature (°C)

Evaporation rate (n-butylacetate = 100)

No data available.

No data available.

Data on fire and explosion hazards

Flash point (°C) 65 Ignition (°C) 300

Auto flammability (°C)

Explosion limits (% v/v)

No data available.

No data available.

No data available.

No data available.

**Solubility** 

Solubility in water Soluble

n-octanol/water coefficient No data available.

9.2. Other information

Solubility in fat (g/L) No data available.

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No data available

# 10.2. Chemical stability

The product is stable under the conditions, noted in the section "Handling and storage".

# 10.3. Possibility of hazardous reactions

Nothing special

# 10.4. Conditions to avoid

Nothing special

# 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

# 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

# Acute toxicity

Substance: 3-aminopropyltriethoxysilane

Species: Rabbit Test: LD50

Route of exposure: Dermal

Result: 4 ml/kg

Substance: 3-aminopropyltriethoxysilane

Species: Rat Test: LD50

Route of exposure: Oral Result: 1780 mg/kg

Substance: ETHYL,3-ETHOXYPROPIONATE

Species: Rabbit Test: LD50

Route of exposure: Dermal Result: 4080 mg/kg bw

Substance: ETHYL,3-ETHOXYPROPIONATE

Species: Rat



Test: LD50

Route of exposure: Oral Result: 4309 mg/kg bw

Substance: ETHYL,3-ETHOXYPROPIONATE

Species: Rat

Test: LC50

Route of exposure: Inhalation

Result: 5967 mg/m3

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

No data available.

Reproductive toxicity

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard
No data available.

Long term effects

This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Substance: ETHYL,3-ETHOXYPROPIONATE

Species: Daphnia Test: EC50 Duration: 48h Result: 873 mg/l

Substance: ETHYL,3-ETHOXYPROPIONATE

Species: Fish Test: LC50 Duration: 96h Result: 60.9mg/l

Substance: ETHYL,3-ETHOXYPROPIONATE

Species: Algae Test: EC50 Duration: 72h Result: 114.8 mg/l

12.2. Persistence and degradability

Substance Biodegradability Test Result CO2 Evolution Test 100

12.3. Bioaccumulative potential

Substance Potential bioaccumulation LogPow BCF

ETHYL,3-ETHOXYPROPIONATE No No data available No data available

# 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

#### 12.6. Other adverse effects

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

#### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Waste

**EWC** code



### Specific labelling

Not applicable

# Contaminated packing

Contaminated packaging must be disposed of similarly to the product.

# **SECTION 14: Transport information**

#### 14.1 - 14.4

Not dangerous goods according to ADR, IATA and IMDG.

#### ADR/RID

14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group **Notes** 

**Tunnel restriction code** 

#### **IMDG**

UN-no. **Proper Shipping Name Class** PG\* **EmS** MP\*\* **Hazardous constituent** 

# IATA/ICAO

UN-no. **Proper Shipping Name** 

# 14.5. Environmental hazards

#### 14.6. Special precautions for user

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

(\*) Packing group

(\*\*) Marine pollutant

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **Restrictions for application**

People under the age of 18 shall not be exposed to this product cf. Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

### **Demands for specific education**

# **Additional information**

Not applicable

### Seveso

# Biocidal reg. no.

Not applicable

#### Sources

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP).

Regulation (EC) 1907/2006 (REACH).

#### 15.2. Chemical safety assessment



Nο

#### **SECTION 16: Other information**

# Full text of H-phrases as mentioned in section 3

H226 - Flammable liquid and vapour.

H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H412 - Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

#### **Additional label elements**

Not applicable

#### Other

In accordance with Regulation (EC) No. 1272/2008 (CLP) the evaluation of the classification of the mixture is based on:

The classification of the mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

# The safety data sheet is validated by

David Löwenstein

Date of last essential change (First cipher in SDS version)

Date of last minor change (Last cipher in SDS version)

ALPHAOMEGA. Licens nr.:4030228872, Blue & Green AB, 7.0.1.11 www.chymeia.com